

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET							Frequency Band VHF-UHF			Description Golden 99 The 99-channel template that all KS-LV-ARES members should have pre-programmed.		
Ch No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	+ - S O	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	Repeater FM	KS-LV-ARES-1	Radio Amateurs	147.0000	W	none	+	147.6000	W	151.4	A	LV Emerg Mgmt / Pilot Knob ARC
2	Simplex	KS-LV-ARES-1S	Radio Amateurs	147.0000	W	none	S	147.0000	W	none	A	In case of 2 repeater failures
3	Repeater FM (YSF Rx)	KS-LV-ARES-2	Radio Amateurs	145.3300	W	151.4	-	144.7300	W	151.4/TØØ	M	KS-LV-ARES FM/C4FM in - FM-only out
4	Simplex	KS-LV-ARES-2S	Radio Amateurs	145.3300	W	none	S	145.3300	W	none	A	In case of 2 repeater failures
5	Repeater YSF	JARA YSF	Radio Amateurs	444.8000	N	RØØ	+	449.8000	N	TØØ	D	JARA WiresX Pi-Star
6	Repeater FM	KS-LV-Open	Radio Amateurs	443.5500	W	151.4	+	448.5500	W	151.4	A	KS Leavenworth Co - Basehor - FM/AllStar
7	Repeater FM	KS-LV-ARES-3	Radio Amateurs	444.8000	W	none	+	449.8000	W	151.4	A	KS-LV-ARES Transportable FM Repeater
8	FM Cross-Band Repeater	CBR-A-USER	Radio Amateurs	147.5400	W	none	O	446.4250	W	151.4	A	Portable CBR A Uplink - For HT/Mobile
9	FM Cross-Band Repeater	CBR-B-USER	Radio Amateurs	146.4300	W	none	O	446.4750	W	151.4	A	Portable CBR B Uplink - For HT/Mobile
10	Repeater FM	KC-REGION-MECC	Radio Amateurs	146.9400	W	88.5	-	146.3400	W	88.5	A	Regional EM Coordination KØHAM
11	Repeater FM	KS-WY-RACES-1	Radio Amateurs	147.2100	W	none	+	147.8100	W	151.4	A	KS Wyandotte Co RACES - Remote @ PMC
12	Repeater FM	KS-WY-RACES-2	Radio Amateurs	147.1500	W	151.4	+	147.7500	W	151.4	A	KS Wyandotte Co RACES
13	Repeater FM	KS-JO-ARES-1	Radio Amateurs	145.4700	W	none	-	144.8700	W	151.4	A	KS Johnson Co ARES
14	Repeater FM	KS-JO-ARES-2	Radio Amateurs	145.2900	W	none	-	144.6900	W	151.4	A	KS Johnson Co ARES
15	Repeater FM	KS-JO-RACES	Radio Amateurs	147.2400	W	none	+	147.8400	W	151.4	A	KS Johnson Co RACES Olathe FM
16	Repeater FM	KS-JO-Open	Radio Amateurs	442.1000	W	167.9	+	447.1000	W	167.9	A	KS Johnson Co Open Repeater - Mission
17	Repeater FM	KS-JO-Open	Radio Amateurs	442.1500	W	82.5	+	447.1500	W	82.5	A	KS Johnson Co Open Repeater - Ovrlnrd Pk
18	Repeater FM	KS-DG-Multi	Radio Amateurs	147.0300	W	88.5	+	147.6300	W	88.5	A	KS Douglas Co Lawrence Wide Coverage
19	Repeater FM	KS-DG-ARES	Radio Amateurs	146.7600	W	none	-	146.1600	W	151.4	A	KS Douglas Co ARES Lawrence
20	Repeater FM	KS-AT-ARES-1	Radio Amateurs	146.6100	W	none	-	146.0100	W	100.0	A	KS Atchison Co ARES - Effingham
21	Repeater FM	KS-AT-ARES-2	Radio Amateurs	443.8750	W	none	+	448.8750	W	none	A	KS Atchison Co - Effingham Water Tank
22	Repeater FM (YSF)	MO-PL-ARES	Radio Amateurs	147.3300	W	151.4	+	147.9300	W	151.4	A	MO Platte Co ARES KC-NWS Central
23	Repeater FM	MO-CY-ARES-1	Radio Amateurs	146.7900	W	none	-	146.1900	W	107.2	A	MO Clay Co "Norhtland" ARES KCMO Nor
24	Repeater FM	MO-CY-ARES-2	Radio Amateurs	146.9700	W	151.4	-	146.3700	W	151.4	A	MO Clay Co ARES KCMO Plaza
25	Repeater FM	MO-CY-ARES-3	Radio Amateurs	145.4300	W	none	-	144.8300	W	none	A	KC Northland 3rd Repeater Gladstone
26	Repeater FM	MO-JK-ARES	Radio Amateurs	146.8200	W	151.4	-	146.2200	W	151.4	A	MO Jackson Co ARES KCMO City Hall
27	Repeater FM	KS-MI-RACES	Radio Amateurs	147.3600	W	151.4	+	147.9600	W	151.4	A	KS Miami Co RACES FM AllStar Paola
28	Repeater FM	KS-FR-ARES	Radio Amateurs	147.3900	W	none	+	147.9900	W	88.5	A	KS Franklin Co Ottawa
29	Repeater FM	KS-SN-ARES-1	Radio Amateurs	443.9250	W	none	+	448.9250	W	88.5	A/D	Topeka ARES FM WIRE-X
30	Repeater FM	KS-SN-ARES-2	Radio Amateurs	444.9000	W	88.5	+	449.9000	W	88.5	A	Topeka/NEKSUN KØHAM FM
31	Repeater FM	KS-JA-ARES	Radio Amateurs	146.7750	W	none	-	146.1750	W	88.5	A	KS Jackson Co ARES Holton Courthouse
32	Repeater FM	KS-BR-ARES	Radio Amateurs	147.1800	W	none	+	147.7800	W	88.5	A	KS Brown Co ARES Hiawatha
33	Repeater FM	MO-BH-ARES	Radio Amateurs	146.8500	W	100.0	-	146.2500	W	100.0	A	MO Buchanan Co ARES St. Joseph
34	Repeater FM	MO-CS-ARES	Radio Amateurs	147.1200	W	151.4	+	147.7200	W	151.4	A	MO Cass Co ARES Raymore FM Multimode
35	Simplex	SIMPLX-V_Call	Radio Amateurs	146.5200	W	none	S	146.5200	W	none	A	VHF National Calling Frequency
36	Simplex	SIMPLX-V02	Radio Amateurs	146.4600	W	none	S	146.4600	W	none	A	Voice Simplex for Team, Task Group, etc.
37	Simplex	SIMPLX-V03	Radio Amateurs	146.4900	W	none	S	146.4900	W	none	A	Voice Simplex for Team, Task Group, etc.
38	Simplex	SIMPLX-V04	Radio Amateurs	146.5350	W	none	S	146.5350	W	none	A	Voice Simplex for Team, Task Group, etc.
39	Simplex	SIMPLX-V05	Radio Amateurs	146.5500	W	none	S	146.5500	W	none	A	Voice Simplex for Team, Task Group, etc.
40	Simplex	SIMPLX-V06	Radio Amateurs	146.5650	W	none	S	146.5650	W	none	A	Voice Simplex for Team, Task Group, etc.
41	Simplex	SIMPLX-V07	Radio Amateurs	146.5800	W	none	S	146.5800	W	none	A	Voice Simplex for Team, Task Group, etc.
42	Simplex	SIMPLX-V08	Radio Amateurs	147.4200	W	none	S	147.4200	W	none	A	Voice Simplex for Team, Task Group, etc.
43	Simplex	SIMPLX-V09	Radio Amateurs	147.4350	W	none	S	147.4350	W	none	A	Voice Simplex for Team, Task Group, etc.
44	Simplex	SIMPLX-V10	Radio Amateurs	147.4500	W	none	S	147.4500	W	none	A	Voice Simplex for Team, Task Group, etc.
45	Simplex	SIMPLX-V11	Radio Amateurs	147.4650	W	none	S	147.4650	W	none	A	Voice Simplex for Team, Task Group, etc.
46	Simplex	SIMPLX-V12	Radio Amateurs	147.4800	W	none	S	147.4800	W	none	A	Voice Simplex for Team, Task Group, etc.
47	Simplex	SIMPLX-V13	Radio Amateurs	147.4950	W	none	S	147.4950	W	none	A	Voice Simplex for Team, Task Group, etc.
48	Simplex	SIMPLX-V14	Radio Amateurs	147.5100	W	none	S	147.5100	W	none	A	Voice Simplex for Team, Task Group, etc.
49	Simplex	SIMPLX-V15	Radio Amateurs	147.5250	W	none	S	147.5250	W	none	A	Voice Simplex for Team, Task Group, etc.
50	Simplex	SIMPLX-V16	Radio Amateurs	147.5550	W	none	S	147.5550	W	none	A	Voice Simplex for Team, Task Group, etc.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET							Frequency Band VHF-UHF			Description Golden 99 The 99-channel template that all KS-LV-ARES members should have pre-programmed.		
Ch No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	+ - S O	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
51	Simplex	SIMPLX-V17	Radio Amateurs	147.5700	W	none	S	147.5700	W	none	A	Voice Simplex for Team, Task Group, etc.
52	Simplex	SIMPLX-U_Call	Radio Amateurs	446.0000	W	none	S	446.0000	W	none	A	UHF National Calling Frequency
53	Simplex	SIMPLX-U02	Radio Amateurs	440.9000	W	none	S	440.9000	W	none	A	Voice Simplex for Team, Task Group, etc.
54	Simplex	SIMPLX-U03	Radio Amateurs	440.9250	W	none	S	440.9250	W	none	A	Voice Simplex for Team, Task Group, etc.
55	Simplex	SIMPLX-U04	Radio Amateurs	440.9500	W	none	S	440.9500	W	none	A	Voice Simplex for Team, Task Group, etc.
56	Simplex	SIMPLX-U05	Radio Amateurs	441.1000	W	none	S	441.1000	W	none	A	Voice Simplex for Team, Task Group, etc.
57	Simplex	SIMPLX-U06	Radio Amateurs	441.1250	W	none	S	441.1250	W	none	A	Voice Simplex for Team, Task Group, etc.
58	Simplex	SIMPLX-U07	Radio Amateurs	441.1500	W	none	S	441.1500	W	none	A	Voice Simplex for Team, Task Group, etc.
59	Simplex	SIMPLX-U08	Radio Amateurs	441.1750	W	none	S	441.1750	W	none	A	Voice Simplex for Team, Task Group, etc.
60	Simplex	SIMPLX-U09	Radio Amateurs	441.2000	W	none	S	441.2000	W	none	A	Voice Simplex for Team, Task Group, etc.
61	Simplex	SIMPLX-U10	Radio Amateurs	441.2250	W	none	S	441.2250	W	none	A	Voice Simplex for Team, Task Group, etc.
62	Simplex	SIMPLX-U11	Radio Amateurs	441.2500	W	none	S	441.2500	W	none	A	Voice Simplex for Team, Task Group, etc.
63	Simplex	SIMPLX-U12	Radio Amateurs	441.2750	W	none	S	441.2750	W	none	A	Voice Simplex for Team, Task Group, etc.
64	Simplex	SIMPLX-U13	Radio Amateurs	441.3000	W	none	S	441.3000	W	none	A	Voice Simplex for Team, Task Group, etc.
65	Simplex	SIMPLX-U14	Radio Amateurs	441.3250	W	none	S	441.3250	W	none	A	Voice Simplex for Team, Task Group, etc.
66	Simplex	SIMPLX-U15	Radio Amateurs	441.3500	W	none	S	441.3500	W	none	A	Voice Simplex for Team, Task Group, etc.
67	Simplex	SIMPLX-U16	Radio Amateurs	441.3750	W	none	S	441.3750	W	none	A	Voice Simplex for Team, Task Group, etc.
68	Simplex	SIMPLX-U17	Radio Amateurs	441.4000	W	none	S	441.4000	W	none	A	Voice Simplex for Team, Task Group, etc.
69	Simplex	SIMPLX-U18	Radio Amateurs	441.4250	W	none	S	441.4250	W	none	A	Voice Simplex for Team, Task Group, etc.
70	Simplex	SIMPLX-U19	Radio Amateurs	441.4500	W	none	S	441.4500	W	none	A	Voice Simplex for Team, Task Group, etc.
71	Simplex	SIMPLX-U20	Radio Amateurs	441.4750	W	none	S	441.4750	W	none	A	Voice Simplex for Team, Task Group, etc.
72	Simplex	SIMPLX-U21	Radio Amateurs	445.6500	W	none	S	445.6500	W	none	A	Voice Simplex for Team, Task Group, etc.
73	Simplex	SIMPLX-U22	Radio Amateurs	445.6800	W	none	S	445.6800	W	none	A	Voice Simplex for Team, Task Group, etc.
74	Simplex	SIMPLX-U23	Radio Amateurs	445.7100	W	none	S	445.7100	W	none	A	Voice Simplex for Team, Task Group, etc.
75	Simplex	SIMPLX-U24	Radio Amateurs	445.7400	W	none	S	445.7400	W	none	A	Voice Simplex for Team, Task Group, etc.
76	Simplex	SIMPLX-U25	Radio Amateurs	445.7700	W	none	S	445.7700	W	none	A	Voice Simplex for Team, Task Group, etc.
77	Simplex	SIMPLX-U26	Radio Amateurs	445.8000	W	none	S	445.8000	W	none	A	Voice Simplex for Team, Task Group, etc.
78	Simplex	SIMPLX-U27	Radio Amateurs	446.0250	W	none	S	446.0250	W	none	A	Voice Simplex for Team, Task Group, etc.
79	Repeater DMR	KS-LV-DMR	Radio Amateurs	442.3500	N	CC1 TS1	+	447.3500	N	CC1 TS1	D	Brandmeister KCØDMR Use TS1 Only
80	Packet FM	APRS-VHF	Radio Amateurs	144.3900	W	none	S	144.3900	W	none	M	Automatic Position Reporting System
81	Packet FM	APRS-UHF	Radio Amateurs	446.1750	W	none	S	446.1750	W	none	M	Automatic Position Reporting System
82	Digital FM	DIG-UHF-1	Radio Amateurs	431.0250	N	none	S	431.0250	N	none	M	For local FLDIGI-Winlink-FSQ Links
83	Digital FM	DIG-UHF-1	Radio Amateurs	440.9750	W	none	S	440.9750	W	none	M	For local FLDIGI-Winlink-FSQ Links
84	Digital FM	DIG-UHF-1	Radio Amateurs	441.0000	W	none	S	441.0000	W	none	M	For local FLDIGI-Winlink-FSQ Links
85	Digital FM	DIG-UHF-1	Radio Amateurs	441.0250	W	none	S	441.0250	W	none	M	For local FLDIGI-Winlink-FSQ Links
86	Digital FM	DIG-UHF-1	Radio Amateurs	441.0500	W	none	S	441.0500	W	none	M	For local FLDIGI-Winlink-FSQ Links
87	Digital FM	DIG-UHF-1	Radio Amateurs	441.0750	W	none	S	441.0750	W	none	M	For local FLDIGI-Winlink-FSQ Links
88	Digital FM	DIG-Wide-1	Radio Amateurs	145.7500	W	none	S	145.7500	W	none	M	Regional BPSK-63 @ 1500 Hz Center
89	Digital FM	DIG-Wide-2	Radio Amateurs	145.7300	W	none	S	145.7300	W	none	M	Regional BPSK-63 @ 1500 Hz Center
90	Digital FM	DIG-Wide-3	Radio Amateurs	145.7100	W	none	S	145.7100	W	none	M	Regional BPSK-63 @ 1500 Hz Center
91	Packet FM	Winlink-03	Radio Amateurs	145.0300	W	none	S	145.0300	W	none	M	FM Packet Gateway WØKCN-10 Smithville
92	Multimode Digital FM	Winlink-05	Radio Amateurs	145.0600	W	none	S	145.0500	W	none	M	Packet, VARA, and other mode Gateways
93	Packet FM	Winlink-07	Radio Amateurs	145.0700	W	none	S	145.0700	W	none	M	FM Packet Gateway KA2FNK-10 Shawnee
94	Packet FM	Winlink-09	Radio Amateurs	145.0900	W	none	S	145.0900	W	none	M	FM Packet Gateway WØOEM-10 KCK
95	FM Cross-Band Repeater	CBR-B-RPTR	Radio Amateurs	446.4750	W	151.4	O	146.4300	W	none	A	Port CBR B Bi-Dir Crosslink - RPTR Only!
96	FM Cross-Band Repeater	CBR-A-RPTR	Radio Amateurs	446.4250	W	151.4	O	147.5400	W	none	A	Port CBR A Bi-Dir Crosslink - RPTR Only!
97	FM Receive Only	KS-LV-EM	LS-LV-EM	155.8200	W	none					A	Legacy FM Radio System
98	FM Receive Only	NWS KCMO	NWS Only	162.5500	W	none					A	KID77 1000 Watts Pleasant Hill, MO
99	FM Receive Only	NWS TOPK	NWS Only	162.4750	W	none					A	WXK91 1000 Watts Topeka, KS

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET							Frequency Band VHF-UHF			Description Golden 99 The 99-channel template that all KS-LV-ARES members should have pre-programmed.		
Ch No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	+ - S O	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	Repeater FM	ARES-1	Radio Amateurs	147.0000	W	none	+	147.6000	W	151.4	A	LV Emerg Mgmt / Pilot Knob ARC
2	Simplex	ARES-1S	Radio Amateurs	147.0000	W	none	S	147.0000	W	none	A	In case of 2 repeater failures
3	Repeater FM (YSF Rx)	ARES-2	Radio Amateurs	145.3300	W	151.4	-	144.7300	W	151.4/TØØ	M	KS-LV-ARES FM/C4FM in - FM-only out
4	Simplex	ARES-2S	Radio Amateurs	145.3300	W	none	S	145.3300	W	none	A	In case of 2 repeater failures
5	Repeater YSF	ARES-3Y	Radio Amateurs	444.8000	N	RØØ	+	449.8000	N	TØØ	D	JARA WiresX Pi-Star
6	Repeater FM	ARES-4	Radio Amateurs	443.5500	W	151.4	+	448.5500	W	151.4	A	KS Leavenworth Co - Basehor - FM/AllStar
7	Repeater FM	ARES-3	Radio Amateurs	444.8000	W	none	+	449.8000	W	151.4	A	KS-LV-ARES Transportable FM Repeater
8	FM Cross-Band Repeater	CBR-A	Radio Amateurs	147.5400	W	none	O	446.4250	W	151.4	A	Portable CBR A Uplink - For HT/Mobile
9	FM Cross-Band Repeater	CBR-B	Radio Amateurs	146.4300	W	none	O	446.4750	W	151.4	A	Portable CBR B Uplink - For HT/Mobile
10	Repeater FM	MECC-1	Radio Amateurs	146.9400	W	88.5	-	146.3400	W	88.5	A	Regional EM Coordination KØHAM
11	Repeater FM	KSWY-1	Radio Amateurs	147.2100	W	none	+	147.8100	W	151.4	A	KS Wyandotte Co RACES - Remote @ PMC
12	Repeater FM	KSWY-2	Radio Amateurs	147.1500	W	151.4	+	147.7500	W	151.4	A	KS Wyandotte Co RACES
13	Repeater FM	KSJO-1	Radio Amateurs	145.4700	W	none	-	144.8700	W	151.4	A	KS Johnson Co ARES
14	Repeater FM	KSJO-2	Radio Amateurs	145.2900	W	none	-	144.6900	W	151.4	A	KS Johnson Co ARES
15	Repeater FM	KSJO-3	Radio Amateurs	147.2400	W	none	+	147.8400	W	151.4	A	KS Johnson Co RACES Olathe FM
16	Repeater FM	KSJO-4	Radio Amateurs	442.1000	W	167.9	+	447.1000	W	167.9	A	KS Johnson Co Open Repeater - Mission
17	Repeater FM	KSJO-5	Radio Amateurs	442.1500	W	82.5	+	447.1500	W	82.5	A	KS Johnson Co Open Repeater - Ovrlnd Pk
18	Repeater FM	KSDG-1	Radio Amateurs	147.0300	W	88.5	+	147.6300	W	88.5	A	KS Douglas Co Lawrence Wide Coverage
19	Repeater FM	KSDG-2	Radio Amateurs	146.7600	W	none	-	146.1600	W	151.4	A	KS Douglas Co ARES Lawrence
20	Repeater FM	KSAT-1	Radio Amateurs	146.6100	W	none	-	146.0100	W	100.0	A	KS Atchison Co ARES - Effingham
21	Repeater FM	KSAT-2	Radio Amateurs	443.8750	W	none	+	448.8750	W	none	A	KS Atchison Co - Effingham Water Tank
22	Repeater FM (YSF)	MOPL-1	Radio Amateurs	147.3300	W	151.4	+	147.9300	W	151.4	A	MO Platte Co ARES KC-NWS Central
23	Repeater FM	MOCY-1	Radio Amateurs	146.7900	W	none	-	146.1900	W	107.2	A	MO Clay Co "Norhtland" ARES KCMO Nor
24	Repeater FM	MOCY-2	Radio Amateurs	146.9700	W	151.4	-	146.3700	W	151.4	A	MO Clay Co ARES KCMO Plaza
25	Repeater FM	MOCY-3	Radio Amateurs	145.4300	W	none	-	144.8300	W	none	A	KC Northland 3rd Repeater Gladstone
26	Repeater FM	MOJK-1	Radio Amateurs	146.8200	W	151.4	-	146.2200	W	151.4	A	MO Jackson Co ARES KCMO City Hall
27	Repeater FM	KSMI-1	Radio Amateurs	147.3600	W	151.4	+	147.9600	W	151.4	A	KS Miami Co RACES FM AllStar Paola
28	Repeater FM	KSFR-1	Radio Amateurs	147.3900	W	none	+	147.9900	W	88.5	A	KS Franklin Co Ottawa
29	Repeater FM	KSSN-1	Radio Amateurs	443.9250	W	none	+	448.9250	W	88.5	A/D	Topeka ARES FM WIRE-X
30	Repeater FM	KSSN-2	Radio Amateurs	444.9000	W	88.5	+	449.9000	W	88.5	A	Topeka/NEKSUN KØHAM FM
31	Repeater FM	KSJA-1	Radio Amateurs	146.7750	W	none	-	146.1750	W	88.5	A	KS Jackson Co ARES Holton Courthouse
32	Repeater FM	KSBR-1	Radio Amateurs	147.1800	W	none	+	147.7800	W	88.5	A	KS Brown Co ARES Hiawatha
33	Repeater FM	MOBH-1	Radio Amateurs	146.8500	W	100.0	-	146.2500	W	100.0	A	MO Buchanan Co ARES St. Joseph
34	Repeater FM	MOC5-1	Radio Amateurs	147.1200	W	151.4	+	147.7200	W	151.4	A	MO Cass Co ARES Raymore FM Multimode
35	Simplex	V-CALL	Radio Amateurs	146.5200	W	none	S	146.5200	W	none	A	VHF National Calling Frequency
36	Simplex	SMPL-V02	Radio Amateurs	146.4600	W	none	S	146.4600	W	none	A	Voice Simplex for Team, Task Group, etc.
37	Simplex	SMPL-V03	Radio Amateurs	146.4900	W	none	S	146.4900	W	none	A	Voice Simplex for Team, Task Group, etc.
38	Simplex	SMPL-V04	Radio Amateurs	146.5350	W	none	S	146.5350	W	none	A	Voice Simplex for Team, Task Group, etc.
39	Simplex	SMPL-V05	Radio Amateurs	146.5500	W	none	S	146.5500	W	none	A	Voice Simplex for Team, Task Group, etc.
40	Simplex	SMPL-V06	Radio Amateurs	146.5650	W	none	S	146.5650	W	none	A	Voice Simplex for Team, Task Group, etc.
41	Simplex	SMPL-V07	Radio Amateurs	146.5800	W	none	S	146.5800	W	none	A	Voice Simplex for Team, Task Group, etc.
42	Simplex	SMPL-V08	Radio Amateurs	147.4200	W	none	S	147.4200	W	none	A	Voice Simplex for Team, Task Group, etc.
43	Simplex	SMPL-V09	Radio Amateurs	147.4350	W	none	S	147.4350	W	none	A	Voice Simplex for Team, Task Group, etc.
44	Simplex	SMPL-V10	Radio Amateurs	147.4500	W	none	S	147.4500	W	none	A	Voice Simplex for Team, Task Group, etc.
45	Simplex	SMPL-V11	Radio Amateurs	147.4650	W	none	S	147.4650	W	none	A	Voice Simplex for Team, Task Group, etc.
46	Simplex	SMPL-V12	Radio Amateurs	147.4800	W	none	S	147.4800	W	none	A	Voice Simplex for Team, Task Group, etc.
47	Simplex	SMPL-V13	Radio Amateurs	147.4950	W	none	S	147.4950	W	none	A	Voice Simplex for Team, Task Group, etc.
48	Simplex	SMPL-V14	Radio Amateurs	147.5100	W	none	S	147.5100	W	none	A	Voice Simplex for Team, Task Group, etc.
49	Simplex	SMPL-V15	Radio Amateurs	147.5250	W	none	S	147.5250	W	none	A	Voice Simplex for Team, Task Group, etc.
50	Simplex	SMPL-V16	Radio Amateurs	147.5550	W	none	S	147.5550	W	none	A	Voice Simplex for Team, Task Group, etc.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET							Frequency Band VHF-UHF			Description Golden 99 The 99-channel template that all KS-LV-ARES members should have pre-programmed.		
Ch No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	+ - S O	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
51	Simplex	SMPL-V17	Radio Amateurs	147.5700	W	none	S	147.5700	W	none	A	Voice Simplex for Team, Task Group, etc.
52	Simplex	U-CALL	Radio Amateurs	446.0000	W	none	S	446.0000	W	none	A	UHF National Calling Frequency
53	Simplex	SMPL-U01	Radio Amateurs	440.9000	W	none	S	440.9000	W	none	A	Voice Simplex for Team, Task Group, etc.
54	Simplex	SMPL-U02	Radio Amateurs	440.9250	W	none	S	440.9250	W	none	A	Voice Simplex for Team, Task Group, etc.
55	Simplex	SMPL-U03	Radio Amateurs	440.9500	W	none	S	440.9500	W	none	A	Voice Simplex for Team, Task Group, etc.
56	Simplex	SMPL-U04	Radio Amateurs	441.1000	W	none	S	441.1000	W	none	A	Voice Simplex for Team, Task Group, etc.
57	Simplex	SMPL-U05	Radio Amateurs	441.1250	W	none	S	441.1250	W	none	A	Voice Simplex for Team, Task Group, etc.
58	Simplex	SMPL-U06	Radio Amateurs	441.1500	W	none	S	441.1500	W	none	A	Voice Simplex for Team, Task Group, etc.
59	Simplex	SMPL-U07	Radio Amateurs	441.1750	W	none	S	441.1750	W	none	A	Voice Simplex for Team, Task Group, etc.
60	Simplex	SMPL-U08	Radio Amateurs	441.2000	W	none	S	441.2000	W	none	A	Voice Simplex for Team, Task Group, etc.
61	Simplex	SMPL-U09	Radio Amateurs	441.2250	W	none	S	441.2250	W	none	A	Voice Simplex for Team, Task Group, etc.
62	Simplex	SMPL-U10	Radio Amateurs	441.2500	W	none	S	441.2500	W	none	A	Voice Simplex for Team, Task Group, etc.
63	Simplex	SMPL-U11	Radio Amateurs	441.2750	W	none	S	441.2750	W	none	A	Voice Simplex for Team, Task Group, etc.
64	Simplex	SMPL-U12	Radio Amateurs	441.3000	W	none	S	441.3000	W	none	A	Voice Simplex for Team, Task Group, etc.
65	Simplex	SMPL-U13	Radio Amateurs	441.3250	W	none	S	441.3250	W	none	A	Voice Simplex for Team, Task Group, etc.
66	Simplex	SMPL-U14	Radio Amateurs	441.3500	W	none	S	441.3500	W	none	A	Voice Simplex for Team, Task Group, etc.
67	Simplex	SMPL-U15	Radio Amateurs	441.3750	W	none	S	441.3750	W	none	A	Voice Simplex for Team, Task Group, etc.
68	Simplex	SMPL-U16	Radio Amateurs	441.4000	W	none	S	441.4000	W	none	A	Voice Simplex for Team, Task Group, etc.
69	Simplex	SMPL-U17	Radio Amateurs	441.4250	W	none	S	441.4250	W	none	A	Voice Simplex for Team, Task Group, etc.
70	Simplex	SMPL-U18	Radio Amateurs	441.4500	W	none	S	441.4500	W	none	A	Voice Simplex for Team, Task Group, etc.
71	Simplex	SMPL-U19	Radio Amateurs	441.4750	W	none	S	441.4750	W	none	A	Voice Simplex for Team, Task Group, etc.
72	Simplex	SMPL-U20	Radio Amateurs	445.6500	W	none	S	445.6500	W	none	A	Voice Simplex for Team, Task Group, etc.
73	Simplex	SMPL-U21	Radio Amateurs	445.6800	W	none	S	445.6800	W	none	A	Voice Simplex for Team, Task Group, etc.
74	Simplex	SMPL-U22	Radio Amateurs	445.7100	W	none	S	445.7100	W	none	A	Voice Simplex for Team, Task Group, etc.
75	Simplex	SMPL-U23	Radio Amateurs	445.7400	W	none	S	445.7400	W	none	A	Voice Simplex for Team, Task Group, etc.
76	Simplex	SMPL-U24	Radio Amateurs	445.7700	W	none	S	445.7700	W	none	A	Voice Simplex for Team, Task Group, etc.
77	Simplex	SMPL-U25	Radio Amateurs	445.8000	W	none	S	445.8000	W	none	A	Voice Simplex for Team, Task Group, etc.
78	Simplex	SMPL-U26	Radio Amateurs	446.0250	W	none	S	446.0250	W	none	A	Voice Simplex for Team, Task Group, etc.
79	Repeater DMR	DMR-01	Radio Amateurs	442.3500	N	CC1 TS1	+	447.3500	N	CC1 TS1	D	Brandmeister KCØDMR Use TS1 Only
80	Packet FM	APRS-V1	Radio Amateurs	144.3900	W	none	S	144.3900	W	none	M	Automatic Position Reporting System
81	Packet FM	APRS-U1	Radio Amateurs	446.1750	W	none	S	446.1750	W	none	M	Automatic Position Reporting System
82	Digital FM	DIGI-U01	Radio Amateurs	431.0250	N	none	S	431.0250	N	none	M	For local FLDIGI-Winlink-FSQ Links
83	Digital FM	DIGI-U02	Radio Amateurs	440.9750	W	none	S	440.9750	W	none	M	For local FLDIGI-Winlink-FSQ Links
84	Digital FM	DIGI-U03	Radio Amateurs	441.0000	W	none	S	441.0000	W	none	M	For local FLDIGI-Winlink-FSQ Links
85	Digital FM	DIGI-U04	Radio Amateurs	441.0250	W	none	S	441.0250	W	none	M	For local FLDIGI-Winlink-FSQ Links
86	Digital FM	DIGI-U05	Radio Amateurs	441.0500	W	none	S	441.0500	W	none	M	For local FLDIGI-Winlink-FSQ Links
87	Digital FM	DIGI-U06	Radio Amateurs	441.0750	W	none	S	441.0750	W	none	M	For local FLDIGI-Winlink-FSQ Links
88	Digital FM	DigWi-01	Radio Amateurs	145.7500	W	none	S	145.7500	W	none	M	Regional BPSK-63 @ 1500 Hz Center
89	Digital FM	DigWi-02	Radio Amateurs	145.7300	W	none	S	145.7300	W	none	M	Regional BPSK-63 @ 1500 Hz Center
90	Digital FM	DigWi-03	Radio Amateurs	145.7100	W	none	S	145.7100	W	none	M	Regional BPSK-63 @ 1500 Hz Center
91	Packet FM	WinLk-03	Radio Amateurs	145.0300	W	none	S	145.0300	W	none	M	FM Packet Gateway WØKCN-10 Smithville
92	Multimode Digital FM	WinLk-05	Radio Amateurs	145.0600	W	none	S	145.0500	W	none	M	Packet, VARA, and other mode Gateways
93	Packet FM	WinLk-07	Radio Amateurs	145.0700	W	none	S	145.0700	W	none	M	FM Packet Gateway KA2FNK-10 Shawnee
94	Packet FM	WinLk-09	Radio Amateurs	145.0900	W	none	S	145.0900	W	none	M	FM Packet Gateway WØOEM-10 KCK
95	FM Cross-Band Repeater	CBR-R-A	Radio Amateurs	446.4750	W	151.4	O	146.4300	W	none	A	Port CBR B Bi-Dir Crosslink - RPTR Only!
96	FM Cross-Band Repeater	CBR-R-B	Radio Amateurs	446.4250	W	151.4	O	147.5400	W	none	A	Port CBR A Bi-Dir Crosslink - RPTR Only!
97	FM Receive Only	LS-LV-EM	LS-LV-EM	155.8200	W	none					A	Legacy FM Radio System
98	FM Receive Only	NWS-KCMO	NWS Only	162.5500	W	none					A	KID77 1000 Watts Pleasant Hill, MO
99	FM Receive Only	NWS-TOPK	NWS Only	162.4750	W	none					A	WXK91 1000 Watts Topeka, KS

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET							Frequency Band VHF-UHF			Description Golden 99 The 99-channel template that all KS-LV-ARES members should have pre-programmed.		
Ch No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	+ - S O	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	Repeater FM	ARES1	Radio Amateurs	147.0000	W	none	+	147.6000	W	151.4	A	LV Emerg Mgmt / Pilot Knob ARC
2	Simplex	ARES1S	Radio Amateurs	147.0000	W	none	S	147.0000	W	none	A	In case of 2 repeater failures
3	Repeater FM (YSF Rx)	ARES2	Radio Amateurs	145.3300	W	151.4	-	144.7300	W	151.4/TØØ	M	KS-LV-ARES FM/C4FM in - FM-only out
4	Simplex	ARES2S	Radio Amateurs	145.3300	W	none	S	145.3300	W	none	A	In case of 2 repeater failures
5	Repeater YSF	ARES3Y	Radio Amateurs	444.8000	N	RØØ	+	449.8000	N	TØØ	D	JARA WiresX Pi-Star
6	Repeater FM	ARES4	Radio Amateurs	443.5500	W	151.4	+	448.5500	W	151.4	A	KS Leavenworth Co - Basehor - FM/AllStar
7	Repeater FM	ARES3	Radio Amateurs	444.8000	W	none	+	449.8000	W	151.4	A	KS-LV-ARES Transportable FM Repeater
8	FM Cross-Band Repeater	CBR-A	Radio Amateurs	147.5400	W	none	O	446.4250	W	151.4	A	Portable CBR A Uplink - For HT/Mobile
9	FM Cross-Band Repeater	CBR-B	Radio Amateurs	146.4300	W	none	O	446.4750	W	151.4	A	Portable CBR B Uplink - For HT/Mobile
10	Repeater FM	MECC-1	Radio Amateurs	146.9400	W	88.5	-	146.3400	W	88.5	A	Regional EM Coordination KØHAM
11	Repeater FM	KSWY-1	Radio Amateurs	147.2100	W	none	+	147.8100	W	151.4	A	KS Wyandotte Co RACES - Remote @ PMC
12	Repeater FM	KSWY-2	Radio Amateurs	147.1500	W	151.4	+	147.7500	W	151.4	A	KS Wyandotte Co RACES
13	Repeater FM	KSJO-1	Radio Amateurs	145.4700	W	none	-	144.8700	W	151.4	A	KS Johnson Co ARES
14	Repeater FM	KSJO-2	Radio Amateurs	145.2900	W	none	-	144.6900	W	151.4	A	KS Johnson Co ARES
15	Repeater FM	KSJO-3	Radio Amateurs	147.2400	W	none	+	147.8400	W	151.4	A	KS Johnson Co RACES Olathe FM
16	Repeater FM	KSJO-4	Radio Amateurs	442.1000	W	167.9	+	447.1000	W	167.9	A	KS Johnson Co Open Repeater - Mission
17	Repeater FM	KSJO-5	Radio Amateurs	442.1500	W	82.5	+	447.1500	W	82.5	A	KS Johnson Co Open Repeater - Ovrlnd Pk
18	Repeater FM	KSDG-1	Radio Amateurs	147.0300	W	88.5	+	147.6300	W	88.5	A	KS Douglas Co Lawrence Wide Coverage
19	Repeater FM	KSDG-2	Radio Amateurs	146.7600	W	none	-	146.1600	W	151.4	A	KS Douglas Co ARES Lawrence
20	Repeater FM	KSAT-1	Radio Amateurs	146.6100	W	none	-	146.0100	W	100.0	A	KS Atchison Co ARES - Effingham
21	Repeater FM	KSAT-2	Radio Amateurs	443.8750	W	none	+	448.8750	W	none	A	KS Atchison Co - Effingham Water Tank
22	Repeater FM (YSF)	MOPL-1	Radio Amateurs	147.3300	W	151.4	+	147.9300	W	151.4	A	MO Platte Co ARES KC-NWS Central
23	Repeater FM	MOCY-1	Radio Amateurs	146.7900	W	none	-	146.1900	W	107.2	A	MO Clay Co "Norhtland" ARES KCMO Nor
24	Repeater FM	MOCY-2	Radio Amateurs	146.9700	W	151.4	-	146.3700	W	151.4	A	MO Clay Co ARES KCMO Plaza
25	Repeater FM	MOCY-3	Radio Amateurs	145.4300	W	none	-	144.8300	W	none	A	KC Northland 3rd Repeater Gladstone
26	Repeater FM	MOJK-1	Radio Amateurs	146.8200	W	151.4	-	146.2200	W	151.4	A	MO Jackson Co ARES KCMO City Hall
27	Repeater FM	KSMI-1	Radio Amateurs	147.3600	W	151.4	+	147.9600	W	151.4	A	KS Miami Co RACES FM AllStar Paola
28	Repeater FM	KSFR-1	Radio Amateurs	147.3900	W	none	+	147.9900	W	88.5	A	KS Franklin Co Ottawa
29	Repeater FM	KSSN-1	Radio Amateurs	443.9250	W	none	+	448.9250	W	88.5	A/D	Topeka ARES FM WIRE-X
30	Repeater FM	KSSN-2	Radio Amateurs	444.9000	W	88.5	+	449.9000	W	88.5	A	Topeka/NEKSUN KØHAM FM
31	Repeater FM	KSJA-1	Radio Amateurs	146.7750	W	none	-	146.1750	W	88.5	A	KS Jackson Co ARES Holton Courthouse
32	Repeater FM	KSBR-1	Radio Amateurs	147.1800	W	none	+	147.7800	W	88.5	A	KS Brown Co ARES Hiawatha
33	Repeater FM	MOBH-1	Radio Amateurs	146.8500	W	100.0	-	146.2500	W	100.0	A	MO Buchanan Co ARES St. Joseph
34	Repeater FM	MOC5-1	Radio Amateurs	147.1200	W	151.4	+	147.7200	W	151.4	A	MO Cass Co ARES Raymore FM Multimode
35	Simplex	V-CALL	Radio Amateurs	146.5200	W	none	S	146.5200	W	none	A	VHF National Calling Frequency
36	Simplex	S-V02	Radio Amateurs	146.4600	W	none	S	146.4600	W	none	A	Voice Simplex for Team, Task Group, etc.
37	Simplex	S-V03	Radio Amateurs	146.4900	W	none	S	146.4900	W	none	A	Voice Simplex for Team, Task Group, etc.
38	Simplex	S-V04	Radio Amateurs	146.5350	W	none	S	146.5350	W	none	A	Voice Simplex for Team, Task Group, etc.
39	Simplex	S-V05	Radio Amateurs	146.5500	W	none	S	146.5500	W	none	A	Voice Simplex for Team, Task Group, etc.
40	Simplex	S-V06	Radio Amateurs	146.5650	W	none	S	146.5650	W	none	A	Voice Simplex for Team, Task Group, etc.
41	Simplex	S-V07	Radio Amateurs	146.5800	W	none	S	146.5800	W	none	A	Voice Simplex for Team, Task Group, etc.
42	Simplex	S-V08	Radio Amateurs	147.4200	W	none	S	147.4200	W	none	A	Voice Simplex for Team, Task Group, etc.
43	Simplex	S-V09	Radio Amateurs	147.4350	W	none	S	147.4350	W	none	A	Voice Simplex for Team, Task Group, etc.
44	Simplex	S-V10	Radio Amateurs	147.4500	W	none	S	147.4500	W	none	A	Voice Simplex for Team, Task Group, etc.
45	Simplex	S-V11	Radio Amateurs	147.4650	W	none	S	147.4650	W	none	A	Voice Simplex for Team, Task Group, etc.
46	Simplex	S-V12	Radio Amateurs	147.4800	W	none	S	147.4800	W	none	A	Voice Simplex for Team, Task Group, etc.
47	Simplex	S-V13	Radio Amateurs	147.4950	W	none	S	147.4950	W	none	A	Voice Simplex for Team, Task Group, etc.
48	Simplex	S-V14	Radio Amateurs	147.5100	W	none	S	147.5100	W	none	A	Voice Simplex for Team, Task Group, etc.
49	Simplex	S-V15	Radio Amateurs	147.5250	W	none	S	147.5250	W	none	A	Voice Simplex for Team, Task Group, etc.
50	Simplex	S-V16	Radio Amateurs	147.5550	W	none	S	147.5550	W	none	A	Voice Simplex for Team, Task Group, etc.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET							Frequency Band VHF-UHF			Description Golden 99 The 99-channel template that all KS-LV-ARES members should have pre-programmed.		
Ch No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	+ - S O	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
51	Simplex	S-V17	Radio Amateurs	147.5700	W	none	S	147.5700	W	none	A	Voice Simplex for Team, Task Group, etc.
52	Simplex	U-CALL	Radio Amateurs	446.0000	W	none	S	446.0000	W	none	A	UHF National Calling Frequency
53	Simplex	S-U02	Radio Amateurs	440.9000	W	none	S	440.9000	W	none	A	Voice Simplex for Team, Task Group, etc.
54	Simplex	S-U03	Radio Amateurs	440.9250	W	none	S	440.9250	W	none	A	Voice Simplex for Team, Task Group, etc.
55	Simplex	S-U04	Radio Amateurs	440.9500	W	none	S	440.9500	W	none	A	Voice Simplex for Team, Task Group, etc.
56	Simplex	S-U05	Radio Amateurs	441.1000	W	none	S	441.1000	W	none	A	Voice Simplex for Team, Task Group, etc.
57	Simplex	S-U06	Radio Amateurs	441.1250	W	none	S	441.1250	W	none	A	Voice Simplex for Team, Task Group, etc.
58	Simplex	S-U07	Radio Amateurs	441.1500	W	none	S	441.1500	W	none	A	Voice Simplex for Team, Task Group, etc.
59	Simplex	S-U08	Radio Amateurs	441.1750	W	none	S	441.1750	W	none	A	Voice Simplex for Team, Task Group, etc.
60	Simplex	S-U09	Radio Amateurs	441.2000	W	none	S	441.2000	W	none	A	Voice Simplex for Team, Task Group, etc.
61	Simplex	S-U10	Radio Amateurs	441.2250	W	none	S	441.2250	W	none	A	Voice Simplex for Team, Task Group, etc.
62	Simplex	S-U11	Radio Amateurs	441.2500	W	none	S	441.2500	W	none	A	Voice Simplex for Team, Task Group, etc.
63	Simplex	S-U12	Radio Amateurs	441.2750	W	none	S	441.2750	W	none	A	Voice Simplex for Team, Task Group, etc.
64	Simplex	S-U13	Radio Amateurs	441.3000	W	none	S	441.3000	W	none	A	Voice Simplex for Team, Task Group, etc.
65	Simplex	S-U14	Radio Amateurs	441.3250	W	none	S	441.3250	W	none	A	Voice Simplex for Team, Task Group, etc.
66	Simplex	S-U15	Radio Amateurs	441.3500	W	none	S	441.3500	W	none	A	Voice Simplex for Team, Task Group, etc.
67	Simplex	S-U16	Radio Amateurs	441.3750	W	none	S	441.3750	W	none	A	Voice Simplex for Team, Task Group, etc.
68	Simplex	S-U17	Radio Amateurs	441.4000	W	none	S	441.4000	W	none	A	Voice Simplex for Team, Task Group, etc.
69	Simplex	S-U18	Radio Amateurs	441.4250	W	none	S	441.4250	W	none	A	Voice Simplex for Team, Task Group, etc.
70	Simplex	S-U19	Radio Amateurs	441.4500	W	none	S	441.4500	W	none	A	Voice Simplex for Team, Task Group, etc.
71	Simplex	S-U20	Radio Amateurs	441.4750	W	none	S	441.4750	W	none	A	Voice Simplex for Team, Task Group, etc.
72	Simplex	S-U21	Radio Amateurs	445.6500	W	none	S	445.6500	W	none	A	Voice Simplex for Team, Task Group, etc.
73	Simplex	S-U22	Radio Amateurs	445.6800	W	none	S	445.6800	W	none	A	Voice Simplex for Team, Task Group, etc.
74	Simplex	S-U23	Radio Amateurs	445.7100	W	none	S	445.7100	W	none	A	Voice Simplex for Team, Task Group, etc.
75	Simplex	S-U24	Radio Amateurs	445.7400	W	none	S	445.7400	W	none	A	Voice Simplex for Team, Task Group, etc.
76	Simplex	S-U25	Radio Amateurs	445.7700	W	none	S	445.7700	W	none	A	Voice Simplex for Team, Task Group, etc.
77	Simplex	S-U26	Radio Amateurs	445.8000	W	none	S	445.8000	W	none	A	Voice Simplex for Team, Task Group, etc.
78	Simplex	S-U27	Radio Amateurs	446.0250	W	none	S	446.0250	W	none	A	Voice Simplex for Team, Task Group, etc.
79	Repeater DMR	DMR-01	Radio Amateurs	442.3500	N	CC1 TS1	+	447.3500	N	CC1 TS1	D	Brandmeister KCØDMR Use TS1 Only
80	Packet FM	APRS-V	Radio Amateurs	144.3900	W	none	S	144.3900	W	none	M	Automatic Position Reporting System
81	Packet FM	APRS-U	Radio Amateurs	446.1750	W	none	S	446.1750	W	none	M	Automatic Position Reporting System
82	Digital FM	DIG-U1	Radio Amateurs	431.0250	N	none	S	431.0250	N	none	M	For local FLDIGI-Winlink-FSQ Links
83	Digital FM	DIG-U2	Radio Amateurs	440.9750	W	none	S	440.9750	W	none	M	For local FLDIGI-Winlink-FSQ Links
84	Digital FM	DIG-U3	Radio Amateurs	441.0000	W	none	S	441.0000	W	none	M	For local FLDIGI-Winlink-FSQ Links
85	Digital FM	DIG-U4	Radio Amateurs	441.0250	W	none	S	441.0250	W	none	M	For local FLDIGI-Winlink-FSQ Links
86	Digital FM	DIG-U5	Radio Amateurs	441.0500	W	none	S	441.0500	W	none	M	For local FLDIGI-Winlink-FSQ Links
87	Digital FM	DIG-U6	Radio Amateurs	441.0750	W	none	S	441.0750	W	none	M	For local FLDIGI-Winlink-FSQ Links
88	Digital FM	DIGWD1	Radio Amateurs	145.7500	W	none	S	145.7500	W	none	M	Regional BPSK-63 @ 1500 Hz Center
89	Digital FM	DIGWD2	Radio Amateurs	145.7300	W	none	S	145.7300	W	none	M	Regional BPSK-63 @ 1500 Hz Center
90	Digital FM	DIGWD3	Radio Amateurs	145.7100	W	none	S	145.7100	W	none	M	Regional BPSK-63 @ 1500 Hz Center
91	Packet FM	WNLK03	Radio Amateurs	145.0300	W	none	S	145.0300	W	none	M	FM Packet Gateway WØKCN-10 Smithville
92	Multimode Digital FM	WNLK05	Radio Amateurs	145.0600	W	none	S	145.0500	W	none	M	Packet, VARA, and other mode Gateways
93	Packet FM	WNLK07	Radio Amateurs	145.0700	W	none	S	145.0700	W	none	M	FM Packet Gateway KA2FNK-10 Shawnee
94	Packet FM	WNLK09	Radio Amateurs	145.0900	W	none	S	145.0900	W	none	M	FM Packet Gateway WØOEM-10 KCK
95	FM Cross-Band Repeater	CBR-RA	Radio Amateurs	446.4750	W	151.4	O	146.4300	W	none	A	Port CBR B Bi-Dir Crosslink - RPTR Only!
96	FM Cross-Band Repeater	CBR-RB	Radio Amateurs	446.4250	W	151.4	O	147.5400	W	none	A	Port CBR A Bi-Dir Crosslink - RPTR Only!
97	FM Receive Only	LV-EM	LS-LV-EM	155.8200	W	none					A	Legacy FM Radio System
98	FM Receive Only	NWS-KC	NWS Only	162.5500	W	none					A	KID77 1000 Watts Pleasant Hill, MO
99	FM Receive Only	NWS-TO	NWS Only	162.4750	W	none					A	WXK91 1000 Watts Topeka, KS

File Date	Revision	Changes
20230121		Original - As published
20230220		Updated from feedback: Corrected transmit frequencies in lines 16-17,21
20230226		Changed order of CBR lines 95-96. Shortened Channel Names to limits of radio of 6 characters. Now 3 tabs (SML, Med, Lrg corresponds to 6-character, 8-character and 12-character Channel Name radop programming limitations.